

PAKISTAN JOURNAL OF ZOOLOGY

Volume 44, 2012

CONTENTS

NUMBER 1

Wildlife / Ecology / Biodiversity

- RISTIĆ, Z.A. MARKOVIĆ, V., BAROVIĆ, V. AND VASILJEVIĆ, D.A. Loss calculation model of brown hare (*Lepus europaeus* Pall) and its application in the hunting grounds of Vojvodina region (North Serbia)..... 1
- KHAN, M.B., AHMED, K.B., AWAN, M.S., ALI, U., MINHAS, R.A. AND CHOUDARY, S.A. Distribution, population status and habitat utilization of common otter (*Lutra lutra*) in Neelum Valley, Azad Jammu and Kashmir 233
- JAHANGIR, S., SIDDIQUI, G., MOAZZAM, M. AND AYUB, Z. Clams of the families Tellinidae and Veneridae and blood cockle of family Arcidae from Phitti Creek and Sonmiani along the coast of Pakistan (Northern Arabian Sea) 259
- AFSAR, N., SIDDIQUI, G. AND AYUB, Z. Update of records of selected prosobranch gastropod species found along the coasts of Sindh and Balochistan, Pakistan 267

Biochemistry / Physiology

- WAHAB, F., RIAZ, T., KHAN, L.A. LEPRINCE, J., VAUDRY, H., TENA-SEMPERE, M. AND SHAHAB, M. Peripheral administration of the human kisspeptin-10 and 26RF-amide inhibits plasma testosterone levels in the adult male broiler breeder birds (*Gallus domesticus*)..... 7
- KHATTAK, F.M., ACAMOVIC, T., SPARKS, N., PASHA, T.N., JOIYA, M.H., HAYAT, Z. AND ALI, Z. Comparative efficacy of different supplements used to reduce heat stress in broilers 31
- ANWAR, T., AHMAD, I. AND TAHIR, S. Determination of pesticide residues in soil of Nawabshah District, Sindh, Pakistan 87
- KHATTAK, F.M., PASHA, T.N., AKRAM, M. AND USMAN, M. Assessment of hatching traits of four different commercial broiler breeder strains: A comparison and its trends (S.C.) 297

Human Infections Diseases

- HAFEEZ, F. AKRAM, W., SUHAIL, A. AND ARSHAD, M. Knowledge and attitude of the public towards dengue control in urban and rural areas of Punjab 15

- DURRANI, A.Z., DURRANI, H.Z. AND KAMAL, N. Prevalence of *Leishmania* in sand fly in Pakistan 61

Molecular Biology / Bioinformatics / Biotechnology

- SHAH, A., HART, D.T. AND POWELL, J. Characterization of ace-liposome receptor-mediated endocytic pathways in *Leishmania* infected J774 cells: effect of lysosomotropic agents and inhibitors of oxidative phosphorylation 23
- NASIR-UD-DIN, KALEEM, A., QAZI, W.M., IQBAL, Z., BUTT, A., KANWAL, A., HOESSLI, D.C. AND CHOUDHARY, M.I. Sequence analysis for the terminal sugars of oligosaccharide chain 53
- SHAH, A.H., HAMEED, A., REHMAN, S. AND JAN, A.H. Nutritional and mutational aspects of lysine production by *Corynebacterium glutamicum* auxotrophs 141
- SHAMIM, S. AND REHMAN, A. Cadmium resistance and accumulation potential of *Klebsiella pneumoniae* strain CBL-1 isolated from industrial wastewater 203
- AWAN, I.N., RIZVI, S.K.A., SAQIB, M.A.N., SHAHZAD, M.I., KHATTAK, A.A., TAHSEEN, S., KHAN, I.H., RAVINDRAN, R., LUCIW, P.A. AND KHANUM, A. Expression and purification of *Mycobacterium tuberculosis* antigens for use in immunoassays for serodetection of *M. tuberculosis* infection in TB patients 217
- MUZZAMAL, H., SARWAR, R., SAJID, I. AND HASNAIN, S. Isolation, identification and screening of endophytic bacteria antagonistic to biofilm formers 249
- DURRANI, U.F., KHAN, M.S. AND KHAN, M.A., HANLON, C. AND MOORE, S. Comparison of immunogenic efficacy of mono- and polyvalent rabies vaccines in dogs .. 291

Entomology

- SULTANA, R. AND WAGAN, M.S. Review of the genus *Hieroglyphus* Krauss 1877 (Hemiacridinae: Acrididae: Orthoptera) with description of one new species from Pakistan 43
- AKHTER, M.A., PLATIA, G., RIZVI, S.A. AND AHMED, Z. Notes on species of the genus *Meristhus* Candèze, 1857 (Coleoptera:

| | | | |
|--|-----|---|-----|
| Elateridae: Agrypninae) from Pakistan with a description of a new species | 67 | aphids and arthropod predators in wheat ecosystem | 173 |
| THAKUR, D.R. Taxonomy, distribution and pest status of Indian biotypes of <i>Acanthoscelides obtectus</i> (Coleoptera: Chrysomelidae: Bruchinae) - A new record | 189 | KHAN, I., ZAHID, M. AND KHAN, G.Z. Toxicity of botanic and synthetic pesticide residues to citrus psyllid <i>Diaphorina citri</i> Kuwayama and <i>Chrysoperla carnea</i> (Stephens) | 197 |
| <hr/> | | | |
| Fish Biology / Fisheries / Freshwater Biology | | | |
| MAHMOOD, K., AYUB, Z., MOAZZAM, M. AND SIDDIQUI, G. Length-weight relationship and condition factor of <i>Ilisha melastoma</i> (Clupeiformes: Pristigasteridae) off Pakistan | 71 | HUANG, Z., ALI, S., REN, S., WU, J. AND ZHANG, Y. Influence of the entomopathogenic fungus <i>Beauveria bassiana</i> on <i>Prynocaria congener</i> (Billberg) (Coleoptera: Coccinellidae) under laboratory conditions | 209 |
| LONE, K.P., SAHAR, S. AND FATIMA, S. Age-related changes in ovarian gross and histological characteristics during pubertal development in captive <i>Catla catla</i> (Hamilton, 1822) of age 18-29 months | 159 | AUAMCHAROEN, W., CHANDRAPATYA, A., KIJJOA, A. AND KAINOH, Y. Toxicity and repellency activities of the crude methanol extract of <i>Duabanga grandiflora</i> (Lythraceae) against <i>Sitophilus oryzae</i> (Coleoptera: Curculionidae) | 227 |
| JALAL, K.C.A., AZFAR, M.A., JOHN, B.A., KAMARUZZAMAN, Y.B. AND SHAHBUDIN, S. Diversity and community composition of fishes in tropical Estuary Pahang Malaysia | 181 | FAIAZ, M., HAMEED, A., HASAN, M. AND WAKIL, W. Efficacy of plant extracts on some cotton (<i>Gossypium hirsutum</i>) pests: <i>Amrasca bigutulla bigutulla</i> Ishida and <i>Thrips tabaci</i> Lindeman | 277 |
| TAYLAN, B. AND HOŞSUCU, B. The ichthyoplankton of Izmir Bay (Central Aegean Sea of Turkey): 2008-2010 years study | 241 | AL-MEKHLAFI, F.A., MASHALY, A.M.A., WADAAN, M.A. AND AL-MALLAH N.M. Overlap effects of cyromazine concentration, treatment method and rearing temperature on southern cowpea weevil <i>Callosobruchus maculatus</i> reared on mung bean | 285 |
| <hr/> | | | |
| Pest & Pest Control | | | |
| KHAN, M.R., GHANI, I.B., KHAN, M.R., HAYAT, A. AND KHAN, A.G. Impact of dry weather on infestation rate of aphids (Homoptera: Aphididae: Adelgidae) on highland conifers in Azad Jammu & Kashmir | 79 | <hr/> | |
| FAHEEM, M., SAEED, S., SAJJAD, A., REHMAN, A. AND FAROOQ, M. In search of the best hot water treatments for Sindhri and Chaunsa variety of mango | 101 | Parasitology | |
| MAHMOOD, S.U., BASHIR, M.H., AFZAL, M. AND ASHFAQ, M. Evaluation of germination losses caused by mites in seeds of maize and mung from farmer's holdings in Tehsil Toba Tek Singh | 117 | KAKAR, A., BILQUEES, F.M., MUKHTAR, G.S. AND AHMAD, S. <i>Rhabdochona (Globochona) spinicauda</i> new species (Nematoda: Rhabdochnidae) from the Putitor Mahaseer, <i>Tor putitora</i> , in Pakistan | 95 |
| YANAR, D. Life-history parameters of <i>Eotetranychus uncatus</i> Garman (Acari: Tetranychidae) on red delicious apple | 129 | TURGUT, E. AND OZGUL, G. Seasonal changes and host size-dependent variation in <i>Diplostomum</i> sp. infection of some cyprinid fish | 123 |
| SALJOQI, A.U.R., NAWAZ, M., FARID, A. AND KHAN, I.A. Compatibility of Spinosad with <i>Trichogramma chilonis</i> (Ishii) (Hymenoptera: Trichogrammatidae) in integrated pest management of <i>Sitotroga cerealella</i> | 133 | <hr/> | |
| ZHOU, Z-S., CHEN, Z-P. AND XU, Z-F. Effects of three <i>Spodoptera litura</i> control strategies on arthropod diversity and abundance in tobacco agroecosystems in South China | 151 | Animal Diseases | |
| SHERAWAT, S.M., BUTT, A. AND TAHIR, H.M. Effect of <i>Brassica</i> strips on the population of | | ASLAM, A., HUSSAIN, I., MAHMOOD, M.S., KHAN, A. AND AKHTAR, M. Development and evaluation of montanide-adjuvanted vaccines for the protection of chickens against inclusion body hepatitis-hydropericardium syndrome | 109 |
| | | <hr/> | |
| | | NUMBER 2 | |
| | | <hr/> | |
| | | Biochemical Toxicity | |
| | | MUJEEB, K.A. AND SHAKOORI, A.R. Effect of an organophosphate, pirimiphos-methyl, on esterases of different developmental stages of stored grain pest red flour beetle, <i>Tribolium</i> | |

| | |
|--|-----|
| <i>castaneum</i> (Herbst.) – spectrophotometric analysis | 301 |
| YOUSAFZAI, A.M., SIRAJ, M., AHMAD, H. AND CHIVERS, D.P. Bioaccumulation of heavy metals in common carp: implications for human health | 489 |
| SHOAI B, N., SIDDIQUI, P.J.A. AND ALI, A. Acute toxic effects of organophosphate pesticides on killifish fish (<i>Aphanius dispar</i>) juveniles (S.C.)..... | 569 |

Pest & Pest Control

| | |
|--|-----|
| AKBAR, M.F., HAQ, M.A., YASMIN, N., NAQVI, S.N.H. AND KHAN, M.F. Management of potato leaf hopper (<i>Amrasca devastans</i> Dist.) with biopesticides in comparison with conventional pesticides on autumn potato crop | 313 |
| MANZOOR, F., MALIK, S.A., NAZ, N., CHEEMA, K.J. AND NAZ, S. Potential of antitermitic activities of eucalyptus oil | 335 |
| RASHID, M.M., KHATTAK, M.K. AND ABDULLAH, K. Phenological response of cotton mealybug, <i>Phenacoccus solenopsis</i> Tinsley (Sternorrhyncha: Pseudococcidae) to three prominent host plants | 341 |
| HUSSAIN, S.I., SALEEM, M.A. AND FREED, S. Toxicity of some insecticides to control mango mealy bug, <i>Drosicha mangiferae</i> , a serious pest of mango in Pakistan | 353 |
| AZIZ, M.A., HASAN, M., ALI, A., SUHAIL, A. AND SAHI, S.T. Role of different physico-chemical characters of okra as a host plant for preference of <i>Earias</i> spp. | 361 |
| AHMED, S., IQBAL, M.K., SHAHID, M. AND KHAN, R.R. Comparison of antibiosis of spotted bollworm, <i>Earias vittella</i> (Fab.), on two Bt- and one non Bt- cotton varieties..... | 463 |
| AL-MEKHLAFI, F.A., MASHALY, A.M.A., WADAAN, M.A. AND AL-MALLAH, N.M. Effect of different applicable conditions of the insect growth regulator (Cyromazine) on the southern cowpea weevils, <i>Callosobruchus maculatus</i> reared on peas..... | 481 |
| NADEEM, M.K., AHMED, S., ASHFAQ, M. AND SAHI, S.T. Evaluation of resistance to different insecticides against field populations of <i>Bactrocera zonata</i> (Saunders) (Diptera: Tephritidae) in Multan, Pakistan..... | 495 |
| MAHAR, A.N., JAN, N.D. AND MAHAR, A.Q. Comparative effectiveness of entomopathogenic nematodes against the pupae of mustard beetle, <i>Phaedon cochleariae</i> F. (Chrysomelidae: Coleoptera)..... | 517 |
| MUSHTAQ, M., HUSSAIN, I. AND MIAN, F. Effectiveness of groundnut-maize bait as | |

| | |
|---|-----|
| carrier of coumatetralyl against Indian crested porcupine, <i>Hystrix indica</i> Kerr (S.C.)..... | 579 |
|---|-----|

Human Infectious Diseases

| | |
|---|-----|
| AWAN, Z.R., KHAN, A.K., SHAH, A.H., SULEMAN, M. AND KHAN, M.A. Assessment of malaria prevalence among school children in rural areas of Bannu District Khyber Pakhtunkhwa, Pakistan | 321 |
| BILAL, H., AKRAM, W., KHAN, H.A.A., HASSAN, S.A. AND KHAN, I.A. Toxicity of selected indigenous plant extracts against <i>Aedes albopictus</i> (Diptera: Culicidae): A potential dengue vector in dengue positive areas | 371 |
| KHAN, T.A., REHMANI, S.F., AHMED, A., LONE, N.A. AND KHAN, M.N. Characterization of newcastle disease virus isolated during 1995-2009 from suburbs of Karachi-Pakistan | 443 |

Parasitology

| | |
|---|-----|
| ANWAR S.A. AND MCKENRY M.V. Incidence and population density of plant-parasitic nematodes infecting vegetable crops and associated yield losses in Punjab, Pakistan | 327 |
| ASMATULLAH-KAKAR AND BILQEES, F.M. A new rhabdochoniid species (Nematoda: Rhabdochoniidae) parasitizing <i>Cyprinion watsoni</i> (Cyprinidae) in Pakistan | 545 |

Animal and Human Genetics

| | |
|---|-----|
| ALI, A., ABDULLAH, M., BABAR, M.E., JAVED, K., MUSTAFA, H., AKHTAR M. AND LONG, S.E. Comparative study of spontaneous and FUDR induced chromosomal instability in Pakistani Lohi and British Suffolk sheep – An indication of environmental mutagenesis | 347 |
| KHAN, S.H., RIAZ, M.N., GHAFAR, A. AND KHAN, M.F.U. Calpastatin (CAST) gene polymorphism and its association with average daily weight gain in balkhi and kajli sheep and beetal goat breeds | 377 |
| JABEEN, R., BABAR, M.E., AHMAD, J. AND AWAN, A.R. Penetrance of novel mutations of endothelin-B receptor gene in Pakistani families with Waardenburg syndrome (S.C.)..... | 585 |

Biodiversity / Wildlife

| | |
|--|-----|
| DURMUŞ, T., BALCI, M. AND BALKIS, N. Species of genus <i>Tintinnopsis</i> Stein, 1867 in Turkish coastal waters and new record of <i>Tintinnopsis corniger</i> Hada, 1964..... | 383 |
| XU, F., MA, M., WU, Y. AND YANG, W. Winter daytime activity budgets of Asiatic Ibex <i>Capra</i> | |

| | |
|---|-----|
| <i>sibirica</i> in Tomur National Nature Reserve of Xinjiang, China | 389 |
| THÉOPHILE, D.O. SIBIRI, S., ISSA, O. AND WENDENGOUDI, G. Feeding habits of <i>Hippopotamus amphibius</i> and carrying capacity in the biosphere reserve of “Mare aux Hippopotames” in the South-Sudanian Zone of Burkina Faso | 433 |
| SHAO, M., ZENG, B., TIM, H., CHEN, L., YOU, C., WANG, H. AND DAI, N. Winter ecology and conservation threats of scaly-sided merganser <i>Mergus squamatus</i> in Poyang lake watershed, China | 503 |
| AFSAR, N., SIDDIQUI, G. AND AYUB, Z. A record of imposex in <i>Morula granulata</i> (Mollusca: Gastropoda: Muricidae) from Pakistan (S.C.) | 572 |
| ANWAR, M.B., NADEEM, M.S., SHAH, S.I., KIAYANI, A.R. AND MUSHTAQ, M. A note on the diet of indian wolf (<i>Canis lupus</i>) in Baltistan, Pakistan (S.C.) | 588 |

Microbiology

| | |
|--|-----|
| TIPU, M.Y., CHAUDHARY, Z.I., YOUNUS, M. AND RABBANI, M. A cross sectional study of <i>Mycobacterium bovis</i> in dairy cattle in and around Lahore City, Pakistan | 393 |
| AHMED, K., AHMED, M., AHMED, J. AND KHAN, A. Risk assessment by bacteriological evaluation of drinking water of Gilgit-Baltistan | 427 |
| XUE, Y., CHEN, J. AND HUA, Y. Resistance of strains producing extended-spectrum β -lactamases and genotype distribution among <i>Escherichia coli</i> in China | 457 |

Biochemistry / Physiology

| | |
|--|-----|
| ANJUM, M.I., AZIM, A., JABBAR, M.A., NADEEM, M.A. AND MIRZA, I.H. Effect of low energy followed by high energy based total mixed diets on growth rate, blood haematology and nutrient digestibility in growing buffalo heifers | 399 |
| ABBAS, G., SIDDIQUI, P.J.A. AND JAMIL, K. The optimal protein requirements of juvenile mangrove red snapper, <i>Lutjanus argentimaculatus</i> fed isoenergetic diets | 469 |
| AHMED, A.M. Lipid peroxidation and oxidative protein products as biomarkers of oxidative stress in the autogenous mosquito, <i>Aedes caspius</i> , upon infection with the mosquitocidal bacterium, <i>Bacillus thuringiensis kurstaki</i> | 525 |
| ALI, S., XIA, J., REN, S. AND HUANG, Z. Catalase production influences germination, stress tolerance and virulence of <i>Beauveria bassiana</i> conidia | 537 |

Pathology

| | |
|--|-----|
| ABIDI T.S. AND TAHIR, M. Preliminary evidence for curative effect of BCG on chemically induced carcinoma of mammary gland of female albino rat | 409 |
| AKRAM, M., KHAN, A., KHATOON, N., NOOR-UN-NISA AND SAYED, M. Lymphoid leucosis in chicken –Histopathology of spleen (S.C.) | 596 |

Fish Biology / Fisheries / Freshwater Biology

| | |
|---|-----|
| IQBAL, Z., RANI, I. AND PERVAIZ, K. Treatment of lernaeasis in carps with Thunder: an organophosphate | 415 |
| PERVEZ, A., JAMSHED, R., NAWAB, B. AND SHAH, M.M. Water quality assessment and mapping for water supply system of Abbottabad’s urban settlements (S.C.) | 581 |
| IQBAL, Z., ASGHAR, M. AND RUBABA. Saprolegniasis in two commercially important carps (S.C.) | 591 |

Molecular Biology / Bioinformatics / Biotechnology

| | |
|--|-----|
| WANG, Q. AND WANG, X. Comparison of methods for DNA extraction from a single chironomid for PCR analysis | 421 |
| AHMAD, A., ALI, M. AND SHAKOORI, A.R. Isolation and culture of cardiac progenitor and cardiomyocytes from adult mouse | 511 |
| ABBAS, Z., ALI, B. AND SABRI, A.N. Antimicrobial activity of biocides against different microorganisms isolated from biodeteriorated paints (S.C.) | 576 |

Animal Diseases

| | |
|---|-----|
| ATIF, F.A., KHAN, M.S., KHAN, M.A., ASHRAF, M. AND AVAIS, M. Chemotherapeutic efficacy of oxytetracycline, enrofloxacin and imidocarb for the elimination of persistent <i>Anaplasma marginale</i> infection in naturally infected Sahiwal cattle | 449 |
| SHAHZAD, W., MUNIR, R., KHAN, M.S., AHMAD, M.U.D., KHAN, M.A., IJAZ, M., SHAKIL, M., IQBAL, M., AND AHMAD, R. Characterization, molecular diagnosis and prevalence of caprine mycoplasmosis in different areas of Pakistan | 559 |

Entomology

| | |
|--|-----|
| BODLAH, I., NAEEM, M. AND RAKHSHANI, E. Genus <i>Binodoxys</i> Mackauer, 1960 (Hymenoptera: Braconidae: Aphidiinae) from Punjab Province of Pakistan | 551 |
|--|-----|

NUMBER 3

Biochemical Toxicity

- MUJEEB, K.A. AND SHAKOORI, A.R. Effect of fury, a synthetic pyrethroid, on esterases of different developmental stages of stored grain pest, red flour beetle, *Tribolium castaneum* (Herbst.) – Spectrophotometric analysis..... 601
- AWAN, D.A., SALEEM, M.A., NADEEM, M.S. AND SHAKOORI, A.R. Toxicological and biochemical studies on spinosad and synergism with piperonyl butoxide in susceptible and resistant strains of *Tribolium castaneum*..... 649
- MUJEEB, K.A. AND SHAKOORI, A.R. Effect of pirimiphos-methyl on esterases of different developmental stages of three strains of *Tribolium castaneum* (Herbst.) – An electrophoretic study 859

Marine Biology

- QURESHI, N.A. AND SAHER, N.U. Density, distribution and population biology of *Macrophthalmus (Venitus) dentipes* Lucas, 1836, from Mangrove areas of Pakistan 615

Biochemistry / Physiology

- FAIAZ, M., ABDULLAH, M., ALI, A., PASHA, T.N., JABBAR, M.A., BABAR, M.E., BHATTI, J.A. AND NASIR, M. Evaluating varying dietary energy levels for optimum growth and early puberty in Sahiwal heifers 625

Freshwater Biology

- ÖZULUĞ, O. The effect of dam construction on the Ostracoda (Crustacea) assemblages in Kazandere stream, Thracea, Turkey 635
- SULEHRIA, A.Q.K. AND MALIK, M.A. Population dynamics of planktonic rotifers in Balloki Headworks 663
- AL-GHANIM, K.A. Spatio-temporal distribution and composition of zooplankton in Wadi Hanifah stream Riyadh (Saudi Arabia) and Abu Zabaal Lakes (Egypt)..... 727
- CHAUDHRY, R. AND SHAKOORI, A.R. A new subspecies of a ciliate *Euplotes musicola* isolated from industrial effluents 809

Human Genetics

- IMTIAZ, A. AND NAZ, S. A rapid and cost-effective protocol for screening known genes for autosomal recessive deafness 641

Parasitology

- BILQEES, F.M., KHALIL, B., KHAN, A. AND

- HASEEB, M.F. *Neodiploproctodaenum karachiensis* n. gen., n. sp. (Digenea: Lepocreadiidae) from the fish *Lagocephalus lunaris* (Tetradontiformes: Tetradontidae) from Karachi Coast, Pakistan 671
- BILQEES, F.M., HADI, R., KHAN, A. AND PERVEEN, S. Description of a new subfamily Heckmanninae (Monorchidae (Odhner, 1911) Nicoll, 1915) with a new genus and species from a freshwater fish of Sindh, Pakistan 723
- KHAN, U.J. AND AZHAR MAQBOOL, A. Prevalence of paramphistomosis in relation to meteorological factors 823
- TRIPATHI, P., PANDEY K.C. AND AGRAWAL, N. Monogenoidea on Indian siluriform fishes I: On a new species and designation of neotypes to some Indian species of the genus *Bychowskyella* Achmerow, 1952 (Monogenoidea: Dactylogyridae) 835
- ASMATULLAH-KAKAR, BILQEES, F.M. AND KHAN, A. On a new species of spirurid nematode *Rhabdochona (Rhabdochona) annai* (Spirurida: Thelazioidea) from freshwater Mahseer, *Tor putitora* (Ham.) 845
- ASMATULLAH-KAKAR, BILQEES, F.M. AND KHAN, K. A new parasitic nematode species *Rhabdochona pakistanica*, new species from *Cyprinion watsoni* (Osteichthyes: Cyprinidae) in Central Balochistan 851

Pathology

- MASOOD, A., SAEED, S., MAHMOOD, A., MALIK, S.A. AND HUSSAIN, N. Role of nutrients in management of mango sudden death disease in Punjab, Pakistan..... 675
- JAHAN, S., AHMED, S., RAZZAQ, S. AND AHMED, H. Adverse effects of arsenic exposure on the mammary glands of adult female rats 691
- EBAID, H., AJAREM, J. AND TAWHEEL, G.A. Acute endotoxemia during gestation induces organ dysfunction and tissue damage in mouse offspring 765

Entomology

- HAMEED, A., AZIZ, M.A. AND AHEER, G.M. Impact of ecological conditions on biology of cotton mealy bug, *Phenacoccus solenopsis* (Hemiptera: Pseudococcidae) in laboratory 685
- UMAIR, M., ZIA, A., NAEEM, M. AND CHAUDHRY, M.T. Species composition of ants (Hymenoptera: Formicidae) in Potohar Plateau of Punjab Province, Pakistan 699
- BASHIR, M.H., AFZAL, M. HONEY, S.F. AND ASHFAQ, M. Description of two new species (Hypopi) of genus *Acotyledon* Oudemans

| | |
|---|-----|
| (Acarina: Acaridae) from Pakistan..... | 745 |
| TAHIR, H.M., BUTT, A., KHAN, S.Y., BHATTI, M.F. AND MUKHTAR, M.K. Effect of tillage practice on the seasonal dynamics of ground spiders (<i>S.C.</i>)..... | 884 |
| MANZOOR, F. AND AKHTAR, M.S. Morphometric analysis for population samples of imago caste of <i>Odontotermes feae</i> (Wasmann) (Isoptera: Termitidae: Macrotermitinae) (<i>S.C.</i>)..... | 887 |
| ATAY, E. AND YOLCU, S. Butterfly fauna of the province of Hatay, Turkey and major taxonomic characters of <i>Polyommatus bollandi</i> Dumont, 1998 (Lycaenidae) (<i>S.C.</i>)..... | 893 |
| SIAL, N. AND CHAUDHRY, M.S. A preliminary report on the diversity of spiders (Arachnida: Araneae) in the Cholistan Desert, Pakistan (<i>S.C.</i>)..... | 896 |

Microbiology

| | |
|---|-----|
| TANVIR, R., HAFEEZ, R. AND HASNAIN, S. Prevalence of multiple drug resistant <i>Escherichia coli</i> in patients of urinary tract infection registering at a diagnostic laboratory in Lahore, Pakistan..... | 707 |
| MEHMOOD, A., ANSARI, M.S., HUSSAIN, T., AKHTAR, S., KHAN, S.A., HASSAN, S., KHAN, A.A. AND RAKHA, B.A. Common shrew (<i>Suncus murinus</i>): A potential reservoir of pathogenic bacteria at poultry farms, Rawalpindi, Pakistan (<i>S.C.</i>)..... | 879 |

Biotechnology

| | |
|--|-----|
| GUL, A., BAIG, S., NAZ, M. AND NADEEM, M. Efficient utilization of dairy industry waste for hyper-production and characterization of a novel cysteine protease | 713 |
|--|-----|

Biodiversity / Wildlife

| | |
|--|-----|
| ANWAR, M.B., NADEEM, M.S., BEG, M.A., KAYANI, A.R. AND MUHAMMAD, G. A photographic key for the identification of mammalian hairs of prey species in snow leopard (<i>Panthera uncia</i>) habitats of Gilgit-Baltistan Province of Pakistan | 737 |
| MAHMOOD, T., HUSSAIN, R., RAIS, M., HUSSAIN, I. AND NADEEM, M.S. Habitat analysis and population estimates of three falcon species, red-headed Merlin (<i>Falco chicquera</i>), Common Kestrel (<i>Falco tinnunculus</i>) and Saker Falcon (<i>Falco cherrug</i>), inhabiting District Chakwal, Pakistan | 787 |
| MINHAS, R.A., AHMED, K.B., AWAN, M.S., ZAMAN, Q., DAR, N.I. AND ALI, H. | |

| | |
|--|-----|
| Distribution patterns and population status of the Himalayan Grey Langur (<i>Semnopithecus ajax</i>) in Machiara National Park, Azad Jammu and Kashmir, Pakistan | 869 |
| MAHMOOD, T., SIDDIQ, M.K., RAIS, M. AND NADEEM, M.S. Distribution and relative abundance of freshwater turtles in Korang River Islamabad-Rawalpindi, Pakistan (<i>S.C.</i>)..... | 889 |

Pest & Pest Control

| | |
|--|-----|
| FREED, S., SALEEM, M.A., KHAN, M.B. AND NAEEM, M. Prevalence and effectiveness of <i>Metarhizium anisopliae</i> against <i>Spodoptera exigua</i> (Lepidoptera: Noctuidae) in Southern Punjab, Pakistan | 753 |
| BARAN, S., AYYILDIZ N. AND KENCE, A. Two new species and a new record of oppoid mites (Acari: Oribatida) from Turkey | 777 |
| RASHID, M.M.U., KHATTAK, M.K. AND ABDULLAH, K. Residual toxicity and biological effects of neem (<i>Azadirachta indica</i>) oil against cotton mealybug, <i>Phenacoccus solenopsis</i> Tinsley (Sternorrhyncha: Pseudococcidae)..... | 837 |

Palaeontology

| | |
|--|-----|
| BHATTI, Z.H., KHAN, M.A. AND AKHTAR, M. <i>Hydaspitherium</i> (Artiodactyla, Giraffidae) from the Dhok Pathan formation of the middle Siwaliks, Pakistan: New collection | 799 |
|--|-----|

Animal Diseases

| | |
|--|-----|
| SHAHZAD, W., ASLAM, W., SHAKIL, M., MUNIR, R., AHMAD, S., AHMAD, I., KHAN, M.S. AND AHMAD, R. Sero-prevalence of <i>Mycoplasma capricolum</i> subspecies <i>capripneumoniae</i> in beetal and beetal teddy cross goat breeds by latex agglutination test in different Districts of Punjab (<i>S.C.</i>)..... | 881 |
|--|-----|

NUMBER 4

Biodiversity, Wildlife, Ecology

| | |
|---|-----|
| FARJALLAH, S., AMOR, N., MERELLA, P. AND SAID, K. Pattern of genetic diversity of North African green frog <i>Pelophylax saharicus</i> (Amphibia) in Tunisia | 901 |
| WEI, L., WENXUAN, X., WEIKANG, Y., CONG, G., DAVID, B., CANJUN, X., JIE, L., FENG, X. AND HONGHAI, Q. Food habits of the great gerbil (<i>Rhombomys opimus</i>) in the Southern Gurbantunggut Desert, Xinjiang, China | 931 |
| GHAFOOR, A., MAHMOOD, A. AND QURESHI, T.M. Periodic transfer of calcium | |

| | |
|---|------|
| concentration from forage plants and soil to small ruminants | 963 |
| KHAN, W.A. AND MIAN, A. Food of grey francolin (<i>Francolinus pondicerianus interpositus</i>) with remarks on competition with black francolin (<i>Francolinus francolinus henrici</i>) in Lal Suhanra National Park (Pakistan)..... | 1099 |

Palaeontology

| | |
|--|-----|
| ALI, M., KHAN, M.A. AND AKHTAR, M. New fossils of <i>Elachistoceras</i> (Bovidae: Mammalia) from Chinji Formation (Middle Miocene) of Pakistan | 909 |
|--|-----|

Parasitology

| | |
|---|------|
| ANWAR, S.A., MCKENRY, M.V. AND AHMAD, H.A. Nematode and fungal communities associated with mango decline of southern Punjab..... | 915 |
| SHAUKAT, N. AND BILQEES, F.M. <i>Decemtestis johnii</i> new species (Trematoda: Opecoeliidae Ozaki, 1925) from the fish <i>Lutjanus johnii</i> of Karachi coast | 1041 |
| AHMED, K., SHEZANA, JAN, M., IMRAN, R., SHUJA, N. AND SHAH, G. Prevalence of intestinal parasitic pathogens among gastroenteritis patients in District Gilgit, Gilgit-Baltistan, Pakistan | 1059 |
| IBRAHIM, S., MAQBOOL, A., IJAZ, M., DURRANI, A.Z. AND REHMAN, A. Seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in captive birds in Lahore, Pakistan (S.C.) | 1174 |

Pest and Pest control

| | |
|--|------|
| HAMED, M. AND NADEEM, S. Effect of cereals on the development of <i>Sitotroga cerealella</i> (Olivier) (Lepidoptera: Gelechiidae) and subsequent quality of the egg parasitoid, <i>Trichogramma chilonis</i> (Ishii) (Hymenoptera: Trichogrammatidae)..... | 923 |
| AMJAD, M., BASHIR, M.H., AFZAL, M., SABRI, M.A. AND JAVED, N. Synergistic effect of some entomopathogenic fungi and synthetic pesticides, against two spotted spider mite, <i>Tetranychus urticae</i> Koch (Acari: Tetranychidae)..... | 977 |
| FAROOQ-AHMAD, K. Development and growth of <i>Exochomus quadripustulatus</i> (Coleoptera: Coccinellidae): a predator of mussel scale <i>Lepidosaphes ulmi</i> (Homoptera: Diaspididae) on apple | 1021 |
| KHAN, A.A., MUNIR, S. AND HUSSAIN, I. Evaluation of in-burrow baiting technique for control of rodents in groundnut crop | 1035 |

| | |
|---|------|
| SALJOQI, A.R., ZADA, R., MUNIR, I., REHMAN, S. AND KHAN, H.J.A. Population trend of canola aphid, <i>Lipaphis erysimi</i> (Kalt.) (Homoptera: Aphididae) and its associated natural enemies in different <i>Brassica</i> lines along with the effect of gamma radiation on their population | 1051 |
| AHMED, K. AND KHALIQUE, F. Oviposition and larval development of <i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae) in relation with chickpea, <i>Cicer arietinum</i> L. (Fabaceae) crop phenology..... | 1081 |
| AFZAL, M., ASHFAQ, M. AND HAMID BASHIR, M.H. Oviposition responses of <i>Helicoverpa armigera</i> towards the morphological plant characters of some genotypes of cotton | 1091 |
| HUSSAIN, D., ALI, A., HASSAN, M.M., ALI, S., SALEEM, M. AND NADEEM, S. Evaluation of toxicity of some new insecticides against egg parasitoid <i>Trichogramma chilonis</i> (Ishii) (Hymenoptera: Trichogrammatidae)..... | 1123 |
| RAFFIQUE, M.K., MAHMOOD, R., ASLAM, M. AND SARWAR, G. Control of <i>Tropilaelaps clareae</i> mite by using formic acid and thymol in honey bee <i>Apis mellifera</i> L. colonies | 1129 |
| AIHETASHAM, A. AND IQBAL, S. Feeding preferences of <i>Microcerotermes championi</i> (Snyder) for different wooden blocks dried at different temperatures under forced and choice feeding conditions in laboratory and field | 1137 |
| UNLU, L. Potato: A new host plant of <i>Tuta absoluta</i> Povolny (Lepidoptera: Gelechiidae) in Turkey (S.C.) | 1183 |

Biochemistry, Physiology

| | |
|--|------|
| HARLIOGLU, A.G. Fatty acid composition, fat soluble vitamins and cholesterol content of farmed rainbow trout (<i>Oncorhynchus mykiss</i>) . | 1013 |
| MUSHTAQ, R. AND MUSHTAQ, R. Supplementation of whole wheat diet on lipid profile in hypertensive females of various ethnic groups in Balochistan | 1073 |

Vector and Vector Control

| | |
|--|-----|
| JAHAN, N. AND SHAHID, A. Evaluation of resistance against <i>Bacillus thuringiensis israelensis</i> WDG in dengue vector from Lahore, Pakistan | 945 |
|--|-----|

Infectious Diseases

| | |
|---|-----|
| SATTI, R., MUSTAFA, F., KHAN, M.I., HAQ, T.S., KHAN, Z.U., ZUBAIR, M., RASOOL, S.T., AZAM, M., AJMAL, M., AND QAMAR, R. Prevalence of hepatitis C virus in urban ghettos of twin cities | 937 |
|---|-----|

| | | | |
|--|------|--|------|
| AWAN, Z.R., SHAH, H.T.A., SHAH, A.H., KHAN, M.A. AND SULEMAN, M. Malaria among the students of religious schools of Bannu District, Khyber Pakhtunkhwa, Pakistan | 959 | and its phylogenetic relationship | 1117 |
| MEHMOOD, A., ANSARI, M.S., AKHTER, S., KHAN, A.A., HUSSAIN, I., HASSAN, S., QURESHI, T.Z. and Rakha, B.A. Occurrence of pathogenic bacteria in small mammals - inhabiting poultry farms of Rawalpindi/Islamabad, Pakistan (S.C.) | 1185 | MIRMOAYEDI, A., ZIA, A. AND RAFI, M.A. New records of mantispid flies (Neuroptera: Mantispidae) from Pakistan (S.C.) | 1171 |
| <hr/> | | | |

Cell Biology, Genetics

| | |
|--|------|
| KANG, J. Studies on the mechanism of antagonistic effect of human immunoglobulin on the toxicity of amyloid β -proteins-treated murine nerve cells | 951 |
| MUHAMMAD, F., MING-YU, S., XIOLI, S., SHAFI, M. AND LIU, X-L. cDNA cloning and expression of proliferating cell nuclear antigen (PCNA) in white leg shrimp (<i>Litopenaeus vannamei</i>) challenged with <i>Vibrio anguillarum</i> | 1029 |
| TAHIR, H.M., KHAN, S.Y., ARSHAD, M. AND AHSAN, M.M. Prevalence of ABO and Rh blood groups in students of University of Sargodha, Punjab, Pakistan (S.C.) | 1180 |
| AHMAD A. AND SHAKOORI, A.R. Isolation and growth of human keratinocytes from plucked hairs (S.C.) | 1187 |

Entomology

| | |
|--|------|
| MAHMOOD, R., WAGCHOURE, E.S., MOHSIN, A., RAJA, S. AND SARWAR, G. Control of ectoparasitic mites in honeybee (<i>Apis mellifera</i> L.) colonies by using thymol and oxalic acid | 985 |
| RAZAQ, M., MAQSOOD, S., ASLAM, M., SHAD, S.A. AND AFZAL, M. Effect of plant spacing on aphid population, yield components and oil contents of late sown canola, <i>Brassica napus</i> L. (Brassicaceae) | 991 |
| XIN, Q., YUE-DAN, L., XIAO-LONG, L. AND XIN-HUA, W. Two new species of the genus <i>Eukiefferiella</i> Thienemann, 1926 (Diptera: Chironomidae) from China | 1007 |
| AHMAD, I. AND ZAHID, M. New characters with special reference to male and female genitalia providing the basis for phylogenetic relationship of Caystrine stink bug <i>C. brunnescens</i> distant (Hemiptera: Pentatomidae) from lower Niger | 1111 |
| AHMAD, I. AND ZAHID, M. A new caystrine stink bug genus <i>Neoriazocoris</i> to accommodate <i>Caystrus punjabensis</i> Ahmad and Kamaluddin (Hemiptera: Pentatomidae) | |

Fisheries, Aquaculture

| | |
|--|------|
| FATIMA, H., AYUB, Z., SIDDIQUI, G. AND ALI, S.A. Fatty acid composition of two candidate species of aquaculture, <i>Fenneropenaeus merguensis</i> and <i>F. penicillatus</i> (Crustacea: Decapoda) in Pakistan | 969 |
| YIN, J-X., RACEY, P., LI, J. AND ZHANG, Y-G. The ovarian cycle of the fish <i>Leptobotia elongata</i> Bleeker, endemic to China | 997 |
| CHUGHTAI, M.I. AND MAHMOOD, K. Semi-intensive carp culture in saline water-logged area: A multi-location study in Shorkot (District Jhang), Pakistan | 1065 |
| SULEHRIA, A.Q.K. AND MALIK, M.A. Evaluation of rearing <i>Cyprinus carpio</i> fry on freshwater rotifer, <i>Brachionus calyciflorus</i> (S.C.) | 1177 |

Anatomy

| | |
|--|------|
| NASEER, U. AND TAHIR, M. Effects of vitamin A on fetal kidneys in albino mice: A histological study | 1045 |
| SHAKOORI, F.R., BUTT, A.M., ALI, N.M., ZAHID, M.T., REHMAN, A. AND SHAKOORI, A.R. Optimization of fermentation media for enhanced amino acids production by bacteria isolated from natural sources | 1145 |
| HUSSAIN, R., ASHFAQ, M. AND SALEEM, M.A. Effect of Abamectin on body protein content and activity of selected enzymes in adults of insecticide-resistant and -susceptible strains of <i>Tribolium castaneum</i> (Herbst) (Coleoptera: Tenebrionidae) | 1159 |
| JAVED, N., KHAN, S.A., HAQ, I., ATIQ, M. AND KAMRAN, M. Effect of <i>Steinernema glaseri</i> and <i>Heterorhabditis indica</i> on the plant vigour and root knot nematodes in tomato roots at different densities and time of applications | 1165 |

NUMBER 5

Parasitology

| | |
|--|------|
| KHAN, U.J. AND MAQBOOL, A. Prevalence of fasciolosis in cattle under different managemental conditions in Punjab | 1193 |
| KHATTAK, R.M., ALI, S., JAHANGIR, M., | |

| | |
|---|------|
| KHAN, M.N., RASUL, A. AND IQBAL, F. Prevalence of ectoparasites in wild and domesticated grey (<i>Francolinus pondicerianus</i>) and black partridges (<i>Francolinus francolinus</i>) from Khyber Pakhtoonkhwa Province of Pakistan | 1239 |
| KAMRAN, M., ANWAR, S.A., JAVED, N., KHAN, S.A., HAQ, I.U. AND ULLAH, I. Field evaluation of tomato genotypes for resistance to <i>Meloidogyne incognita</i> | 1355 |
| ISMAIL, M., A. ANWAR, S.A. AND RIAZ, A. Incidence of <i>Meloidogyne incognita</i> in cucumber fields | 1383 |
| <hr/> | |
| Pest and Pest Control | |
| SAEED, Q., SALEEM, M.A. AND AHMAD, M. Toxicity of some commonly used synthetic insecticides against <i>Spodoptera exigua</i> (Fab) (Lepidoptera: Noctuidae)..... | 1196 |
| AZIZ, M.A., HASAN, M.U., ALI, A. AND IQBAL, J. Comparative efficacy of different strategies for management of spotted bollworms, <i>Earias</i> spp. on Okra, <i>Abelmoschus esculentus</i> (L.) Moench | 1203 |
| RASHID, M.M.U., KHATTAK, M.K. AND ABDULLAH, K. Evaluation of botanical and synthetic insecticides for the management of cotton pest insects | 1317 |
| NADEEM, M., IQBAL, J., KHATTAK, M.K. AND SHAHZAD, M.A. Management of <i>Tribolium castaneum</i> (Hbst.) (Coleoptera: Tenebrionidae) using neem (<i>Azadirachta indica</i> A. Juss) and tumha (<i>Citrullus colocynthis</i> (L.))..... | 1325 |
| MANZOOR, F. Synergism of Imidacloprid and Entomopathogenic nematodes for the control of eastern subterranean termite, <i>Reticulitermes flavipes</i> (Isoptera: Rhinotermitidae)..... | 1397 |
| SHAHID, S., ZIA, A., NAEEM, M. AND NAZ, F. Bionomics of aphids and their parasitoid in selected wheat varieties grown under homologous ecological conditions | 1423 |
| <hr/> | |
| Wildlife, Biodiversity, Ecology | |
| CHEN, B.Y., ZHENG, D.M., WANG, L., XU, X.R. AND YANG, G. The northernmost distribution of Indo-Pacific humpback dolphin (<i>Sousa chinensis</i>) in the World: Evidence from preliminary survey in Ningde, China | 1209 |
| SETHI, V.K., BHATT, D. AND KUMAR, A. Characteristics and behavioral correlates of call types in a tropical bird, the pied bush chat <i>Saxicola caprata</i> | 1231 |
| ZHANG, W. AND ZHANG, M. Possible nutritional deficiency of the red deer (<i>Cervus elaphus</i>) population in the Wanda mountains, Northeast China | 1269 |
| QAMAR, Q.Z., ALI, U., MINHAS, R.A., DAR, N.I. AND ANWAR, M. New distribution information on woolly flying squirrel (<i>Eupetaurus cinereus</i> Thomas, 1888) in Neelum Valley of Azad Jammu and Kashmir, Pakistan | 1333 |
| SHAIKH, K., GACHAL, G.S., SHAIKH, M.Y. AND QADRI, A.H. A study of morphological variations in populations of <i>Euphylyctis cyanophlyctis</i> (Schneider, 1799) (Anura: Ranidae) from District Jamshoro, Sindh (S.C.). | 1450 |
| WANG, Y., CHEN, J., TAO, S., WANG, M., WANG, X. AND SHAH, A. Wildlife protection along the Karakorum Highway in Khunjerab National Park (S.C.)..... | 1452 |
| MAHMOOD, T., HUSSAIN, R., IRSHAD, N., AKRIM, F. AND NADEEM, M.S. Illegal mass killing of Indian pangolin (<i>Manis crassicaudata</i>) in Potohar region, Pakistan (S.C.)..... | 1457 |
| KHAN, W.A., KHAN, B. AND IQBAL, S. First record of Tibetan Lark (<i>Melanocorypha maxima</i>) in Pakistan (S.C.)..... | 1462 |
| <hr/> | |
| Molecular Biology, Genetics | |
| SHAFI, M., WANG, Y., WANG, W., MUHAMMAD, F., QI, J. AND ZHANG, Q. Isolation and characterization of thyroid hormone receptors (<i>TRα</i> and <i>TRβ</i>) in black rock fish, <i>Sebastes schlegelii</i> | 1215 |
| HAO, L., HU, Y-B., XIAO, X-H., AND LI, H-P. Full length cDNA cloning and expression analysis of calmodulin gene from deer antler tissue | 1225 |
| ANNABI, A., FALEH, A.B., DELI, T. AND SAID, K. Molecular analysis of the genetic differentiation among <i>Aphanius fasciatus</i> populations captured from Tunisian Coastal and Estuary sites | 1389 |
| <hr/> | |
| Entomology | |
| MUKHTAR, M.K., KHAN, S.Y., JABEEN, S., TAHIR, H.M., QADIR, A., AHMAD, K.R., BUTT, A. AND ARSHAD, M. A preliminary checklist of the spider fauna of Sargodha (Punjab), Pakistan | 1245 |
| MUKHTAR, M.K., IRFAN, M., TAHIR, H.M., KHAN, S.Y., AHMAD, K.R., QADIR, A. AND ARSHAD, M. Species composition and population dynamics of spider fauna of <i>Trifolium</i> and <i>Brassica</i> field | 1261 |
| BODLAH, I., NAEEM, M. AND MOHSIN, A.U. Distribution, hosts and biology of <i>Diaeretiella rapae</i> (M'Intosh) (Hymenoptera: Braconidae: Aphidiinae) in Punjab, Pakistan | 1307 |

QURESHI, N.A., ANSARI, M.S., AKHTER, S., KHAN, A.A., HUSSAIN, I. AND RAKHA, B.A. Feeding habits of common quail (*Coturnix coturnix*) migrating through Rawalpindi, Pakistan (S.C.) 1760

Entomology

TAHIR, H.M., BUTT, A., MUKHTAR, M.K., BILAL, M. AND KHAN, S.Y. Co-existence of four orb weaving spiders in the rice ecosystem 1521

SALJOQI, A.R., KHAN, M.A., HUMA, Z., SATTAR, A., ULLAH M. AND KHAN, F. Behavioral changes of *Heterotermes indicola* (Isoptera: Rhinotermitidae) against some natural products 1613

SAEED, S., MALIK, S.A., DAD, K., SAJJAD, A. AND ALI, M. In search of the best native pollinators for bitter melon (*Momordica charantia* L.) pollination in Multan, Pakistan .. 1633

ZAHID, M. AND AHMAD, I. Metathoracic scent auricle and genitalia of pentatomine stink bug *Caystrus pallipes* (Stål) (Hemiptera: Pentatomidae) and their bearing on its phylogenetic relationship 1653

SALJOQI, A.U., ZIA, Q., GUL, F. AND REHMAN, S. Compatibility of jamama oil (*Eruca sativa* L.) with different stages of *Trichogramma chilonis* (Ishii) (Hymenoptera: Trichogrammatidae)..... 1665

MUKHTAR, M.K. Spiders of the genus *Neoscona* (Araneae: Araneidae) from Punjab, Pakistan ... 1711

KUCHAI, J.A., AHMAD, F., CHISHTI, M.Z., TAK, H., AHMAD, J., AHMAD, S. AND RASOOL, M. A study on morphology and morphometry of *Haemonchus contortus* 1737

SHAH, A., MOHSIN, A., BODLAH, I., NAEEM, M. AND HAFEZ, Z. Dubas bug, *Ommatissus lybicus* (Tropiduchidae: Hemiptera) - A new record from Panjgur, Balochistan, Pakistan (S.C.) 1765

Anatomy and Teratology

AHMAD, N., NAVEED, K. AND ASMATULLAH Exposure to β -cyfluthrin during pregnancy induces teratogenicity in murine fetuses 1515

KOÇ, N.D. AND AKBULUT, C. Electron and light microscopic investigations of follicular

epithelium in vitellogenic oocyte of zebrafish (*Danio rerio*) 1581

Freshwater Biology

TOKATLI, C., KÖSE, E., ÇİÇEK, A., EMİROĞLU, Ö., ARSLAN, N. AND DAYIOĞLU, H. Lead accumulations in biotic and abiotic components of Emet Stream, Uluabat Lake Basin, Turkey 1587

Palaeontology

BHATTI, Z.H., KHAN, M.A., AKHTAR, M., KHAN, A.M., GHAFAR, A., IQBAL, M. AND IKRAM, T. *Giraffokeryx* (Artiodactyla: Mammalia) remains from the Lower Siwaliks of Pakistan 1623

BHATTI, Z.H., KHAN, M.A., AKHTAR, M., KHAN, A.M., GHAFAR, A., IQBAL, M. AND SIDDIQ, M.K. *Giraffa punjabiensis* (Giraffidae: Mammalia) from Middle Siwaliks of Pakistan 1689

Molecular Biology of Cancer / Molecular Genetics

MURTAZA, B.N., BIBI, A., NADEEM, M.S., CHAUDRI, M.S. AND SHAKOORI, A.R. Identification of a novel mutation in codon 31 of kirstein rat sarcoma viral oncogene homologue in colon cancer: another evidence of non-canonical mutational pathway 1671

SHAIQ, P.A., KLAUSEGGER, A., LATIF, A., BAUER, J., QAMAR, R. AND RAJA, G.K. Missense mutation in *LAMA3* associated with herlitz junctional epidermolysis bullosa in a Pakistani family 1697

Infectious Diseases

MANSOOR, M.K., HUSSAIN, I., ARSHAD, M. AND MUHAMMAD, M. Protein fractionation analysis of fowl adenovirus serotype 4 (FAV-4) associated with fowl hydropericardium-hepatitis syndrome in Pakistan (S.C.) 1751

YASINZAI, M.I. AND KAKARSULEMANKHEL, J. Prevalence of human malaria infection in Pakistani areas bordering Iran: District Turbat, Pakistan (S.C.) 1769