

C O N T E N T S

Parasitology

- KHAN, U.J. AND MAQBOOL, A. Prevalence of fasciolosis in cattle under different managemental conditions in Punjab1193
- KHATTAK, R.M., ALI, S., JAHANGIR, M., KHAN, M.N., RASUL, A. AND IQBAL, F. Prevalence of ectoparasites in wild and domesticated grey (*Francolinus pondicerianus*) and black partridges (*Francolinus francolinus*) from Khyber Pakhtoonkhwa Province of Pakistan1239
- KAMRAN, M., ANWAR, S.A., JAVED, N., KHAN, S.A., HAQ, I.U. AND ULLAH, I. Field evaluation of tomato genotypes for resistance to *Meloidogyne incognita*1355
- ISMAIL, M., A. ANWAR, S.A. AND RIAZ, A. Incidence of *Meloidogyne incognita* in cucumber fields1383

Pest and Pest Control

- SAEED, Q., SALEEM, M.A. AND AHMAD, M. Toxicity of some commonly used synthetic insecticides against *Spodoptera exigua* (Fab) (Lepidoptera: Noctuidae).....1196
- AZIZ, M.A., HASAN, M.U., ALI, A. AND IQBAL, J. Comparative efficacy of different strategies for management of spotted bollworms, *Earias* spp. on Okra, *Abelmoschus esculentus* (L). Moench1203
- RASHID, M.M.U., KHATTAK, M.K. AND ABDULLAH, K. Evaluation of botanical and synthetic insecticides for the management of cotton pest insects1317
- NADEEM, M., IQBAL, J., KHATTAK, M.K. AND SHAHZAD, M.A. Management of *Tribolium castaneum* (Hbst.) (Coleoptera: Tenebrionidae) using neem (*Azadirachta indica* A. Juss) and tumha (*Citrullus colocynthis* (L.)).....1325
- MANZOOR, F. Synergism of Imidacloprid and Entomopathogenic nematodes for the control of eastern subterranean termite, *Reticulitermes flavipes* (Isoptera: Rhinotermitidae).....1397
- SHAHID, S., ZIA, A., NAEEM, M. AND NAZ, F. Bionomics of aphids and their parasitoid in selected wheat varieties

- grown under homologous ecological conditions1423

Wildlife, Biodiversity, Ecology

- CHEN, B.Y., ZHENG, D.M., WANG, L., XU, X.R. AND YANG, G. The northernmost distribution of Indo-Pacific humpback dolphin (*Sousa chinensis*) in the World: Evidence from preliminary survey in Ningde, China1209
- SETHI, V.K., BHATT, D. AND KUMAR, A. Characteristics and behavioral correlates of call types in a tropical bird, the pied bush chat *Saxicola caprata*1231
- ZHANG, W. AND ZHANG, M. Possible nutritional deficiency of the red deer (*Cervus elaphus*) population in the Wanda mountains, Northeast China1269
- QAMAR, Q.Z., ALI, U., MINHAS, R.A., DAR, N.I. AND ANWAR, M. New distribution information on woolly flying squirrel (*Eupetaurus cinereus* Thomas, 1888) in Neelum Valley of Azad Jammu and Kashmir, Pakistan1333
- SHAIKH, K., GACHAL, G.S., SHAIKH, M.Y. AND QADRI, A.H. A study of morphological variations in populations of *Euphyctis cyanophlyctis* (Schneider, 1799) (Anura: Ranidae) from District Jamshoro, Sindh (S.C.).....1450
- WANG, Y., CHEN, J., TAO, S., WANG, M., WANG, X. AND SHAH, A. Wildlife protection along the Karakorum Highway in Khunjerab National Park (S.C.).....1452
- MAHMOOD, T., HUSSAIN, R., IRSHAD, N., AKRIM, F. AND NADEEM, M.S. Illegal mass killing of Indian pangolin (*Manis crassicaudata*) in Potohar region, Pakistan (S.C.).....1457

Continued on page 1465

[Covered by ISI Web of Knowledge, Abstracted and indexed in *Biological Abstracts*, *Chemical Abstracts*, *Zoological Records*, *Information Retrieval Limited*, *London*, *Service Central De Documentation De L'ORSTOM*, *Paris* and *National Inquiry Services Centre*, *South Africa*, *Contents accessible via EBSCO host™*].

KHAN, W.A., KHAN, B. AND IQBAL, S.
First record of Tibetan Lark
(*Melanocorypha maxima*) in Pakistan
(S.C.).....1462

Molecular Biology, Genetics

SHAFI, M., WANG, Y., WANG, W.,
MUHAMMAD, F., QI, J. AND ZHANG,
Q. Isolation and characterization of
thyroid hormone receptors (*TR α* and *TR β*)
in black rock fish, *Sebastes schlegelii*1215

HAO, L., HU, Y-B., XIAO, X-H., AND LI, H-
P. Full length cDNA cloning and
expression analysis of calmodulin gene
from deer antler tissue1225

ANNABI, A., FALEH, A.B., DELI, T. AND
SAID, K. Molecular analysis of the
genetic differentiation among *Aphanius*
fasciatus populations captured from
Tunisian Coastal and Estuary sites1389

Entomology

MUKHTAR, M.K., KHAN, S.Y., JABEEN, S.,
TAHIR, H.M., QADIR, A., AHMAD,
K.R., BUTT, A. AND ARSHAD, M. A
preliminary checklist of the spider fauna
of Sargodha (Punjab), Pakistan1245

MUKHTAR, M.K., IRFAN, M., TAHIR,
H.M., KHAN, S.Y., AHMAD, K.R.,
QADIR, A. AND ARSHAD, M. Species
composition and population dynamics of
spider fauna of *Trifolium* and *Brassica*
field1261

BODLAH, I., NAEEM, M. AND MOHSIN,
A.U. Distribution, hosts and biology of
Diaeretiella rapae (M'Intosh)
(Hymenoptera: Braconidae: Aphidiinae)
in Punjab, Pakistan1307

ATAY, E. The genital morphology and major
taxonomic characteristics of *Zerynthia*
deyrollei (Oberthür, 1869) and *Zerynthia*
cerisyi (Godart, 1822) (Lepidoptera:
Papilionidae: Zerynthiinae).....1343

BODLAH, I., BODLAH, M.A., NAEEM, M.,
AKHTER, T., NASIR, M.F. AND
CHAUDHRY, M.T. First record,
distribution and morphology of psyllid,
Trioza fletcheri minor Crawford, 1912
from Punjab Province of Pakistan1361

SIAL, N. AND CHAUDHRY, M.S. A
preliminary report on the diversity of
spiders (Arachnida: Araneae) in the
Cholistan Desert, Pakistan (S.C.).....1439

Biotechnology

WANG, Z., ALI, S., HUANG, Z. AND REN,

S. Production and regulation of
extracellular chitinase by *Aschersonia*
aleyrodis (Cordycipitaceae: Hypocreales).1255

NASREEN, Z. AND QAZI, J.I. Lab scale
composting of fruits and vegetable waste
at elevated temperature and forced
aeration1285

Fisheries, Freshwater Biology

SOOMRO, A.N., BALOCH, W.A.,
CHANDIO, T.J., ACHAKZAI, W.M.
AND SADDOZAI, S. Condition factor
and length-weight relationship of
monsoon river prawn *Macrobrachium*
malcolmsonii malcolmsonii (H. Milne-
Edwards, 1844) (Palaemonidae) in lower
Indus river1279

NAZ, S., JAVED, M., TAHIR A. AND
AZMAT, H. Impact of physico-chemical
variables of test media on growth
performance of metal stressed major carps
.....1291

HEKIMOĞLU, M.A. AND ERGUN, M.
Evaluation of clove oil as anaesthetic
agent in fresh water angelfish,
Pterophyllum scalare1297

TABINDA, A.B. AND BUTT, A. Replacement
of fish meal with poultry by-product meal
(chicken intestine) as a protein source in
grass carp fry diet1373

MAHAR, M.A. AND JAFRI, S.I.H. New
record of some freshwater seed shrimps
(Ostracoda: Podocopida) from lakes of
Sindh, Pakistan (S.C.)1440

KÖSE, E., UYSAL, K., TOKATLI, C.,
ÇİÇEK, A., EMİROĞLU, Ö. AND
ARSLAN, N. Assessment of boron in
water, sediment and fish tissues of porsuk
stream, Turkey (S.C.).....1446

Animal Disease

ALAM, J., MUHAMMAD, F., SIDDIQUI,
M.U., KHAN, S.A., REHMANI, S. AND
AHMAD, A. Dot-ELISA for Newcastle
disease, infectious bursal disease and
mycoplasmosis1301

Toxicology

RASHID, A., ASMATULLAH, ZARA, N.
AND ARA, C. Testicular toxicity induced
by deltamethrin in albino mice1349

TEKİN-ÖZAN, S. AND AKTAN, N.
Relationship of heavy metals in water,
sediment and tissues with total length,
weight and seasons of *Cyprinus carpio* L.,
1758 from Işikli Lake (Turkey).....1405

Human Diseases

- MUMTAZ, T., ROOHI, N. AND AKHTAR, M.W. Incidence and clinical manifestation of lymphoma in Central Punjab1367
- RIAZ, A. AND IQBAL, M. Non-syndromic autosomal recessive deafness in Pakistani population: epidemiology and genetics1431

Cell Biology

- AHMAD, A. AND SHAKOORI, A.R. Isolation and differentiation of murine mesenchymal stem cells into osteoblasts in the presence and absence of dexamethasone1417